



<b>1/2" 1.4/3.5mm C</b>		<b>1/3"</b>	
Focal Length		f=3.5mm±5%	
Max. Diameter (Ratio)		F=1 : 1.4±5%	
Element		6 Group 7 Elements	
Picture Size		4.8x6.4mm	3.6x4.8
Angle	Ver.	76.6°	57.7°
	Hor.	103.6°	77.0°
	Dia.	132.1°	97.5°
Distortion (TV)		-28.0%	
Shooting Range at M.O.D.	Ver.	247mm	
	Hor.	396mm	
	Dia.	688mm	
Minimum Object Distance		0.2m	
Flange Back		17.526 mm in air	
Back Focus		8.89mm in air	
Filter Screw Size			
Front/Rear Effective Dia.		F: φ 19.6mm	R: φ 10.4mm
Mount		C-MOUNT	
Exit Pupil		-71.4mm	
Temperature Range		-10~+45° C	
Storage Temperature Range		-40~+60° C	
Resolution		Center: 100LP/mm	Corner: 60LP/mm
Stopper Strength		10kgf · cm	
Endurance Tests		Iris: 5,000Times	Focus: 5,000Times
Operating Torque		Iris: 50~600gf · cm	Focus: 100~1000gf · cm
Weight		73g±5g	

1/2" 1.4/3.5mm

LM4NCL